

# THE ONE

AVIATION SOLUTIONS



## 737 – 300F FOR SALE / LEASE BACK

THE ONE Aviation Solutions proudly offer these 3 737 Freighter for sale or immediately Lease back;

All Aircrafts are in perfect Flight conditions, the current Leasing contract finished, so the Bank lessor are offering this Aircrafts to Operators or Airlines Worldwide.

We're the Bank representative, we will give you the preliminary information and you're ready to purchase we'll introduce you to the Bank Staff, all contracts will be done directly to the Bank .

We have our office in Orlando – Florida and our Staff are available to answer your questions in three languages:

1. English
2. Portuguese
3. Spanish

Feel free to contact us :

+1(407) 639-9842 .....USA

+ 55 (11) 98175-1500....BRA

EMAIL: [napoleao1976@gmail.com](mailto:napoleao1976@gmail.com)

# 1999 Boeing 737-300SF

## OPTION # 1

| <b>AIRFRAME</b>                |            |                                 |          |
|--------------------------------|------------|---------------------------------|----------|
| Aircraft type                  | 737-300SF  | Effective Date                  | 2022-3-1 |
| Serial number                  |            | Registration                    |          |
| Line number                    |            | Variable number                 |          |
| Total airframe hours since new | 49,982     | Total airframe cycles since new | 31,653   |
| Date of manufacture            | 1999-10-22 |                                 |          |

| <b>ENGINES</b>                 | <b>Engine 1</b>     | <b>Engine 2</b> | <b>APU</b>  |
|--------------------------------|---------------------|-----------------|-------------|
| Type/ model                    | CFM56-3C-1          | CFM56-3C-1      | GTCP85-129H |
| Delivery S/N                   | 857637              | 856671          | P-100991    |
| Current location (MSN)         |                     |                 |             |
| Current Type/ model            | CFM56-3C-1          | CFM56-3C-1      | GTCP85-129H |
| Current Installed              | No.1                | No.2            |             |
| Thrust rating                  | 20K                 | 20K             | N/A         |
| Time Since New                 | 50891.45            | 58440.13        | 25948       |
| Cycles Since New               | 32750               | 36860           | N/A         |
| Time Since Last SV             | 326.4               | 5098.03         | 223         |
| Cycles Since Last SV           | 177                 | 3194            | N/A         |
| Cycles remaining first limiter | 6326                | 4280            | N/A         |
| First limiter description      | ROTOR REAR AIR SEAL | HPC DISK STG 3  | N/A         |

| <b>LANDING GEARS</b>    | <b>NLG</b>  | <b>LH MLG</b> | <b>RH MLG</b> |
|-------------------------|-------------|---------------|---------------|
| Part number             | 65-73762-20 | 65-73761-107  | 65-73761-108  |
| Serial number installed | T2882P1672  | MC03259P1668  | MC03260P1668  |
| Total time since new    | 22738.22    | 22738.22      | 22738.22      |
| Total cycles since new  | 38869       | 37386         | 38505         |
| Time since overhaul     | 5299.17     | 5299.17       | 5299.17       |
| Cycles since overhaul   | 2980        | 2980          | 2980          |
| Time between overhaul   | 10Y         | 10Y           | 10Y           |
| Last overhaul date      | 2015/10/1   | 2015/10/1     | 2015/10/1     |

| <b>OPERATIONAL WEIGHTS</b> |           |    |        |     |
|----------------------------|-----------|----|--------|-----|
| Date last weighing         | 2021/9/13 |    |        |     |
| Maximum Take-Off Weight    | 61234     | Kg | 135000 | Lbs |
| Maximum Taxi Weight        | 61461     | Kg | 135500 | Lbs |
| Maximum Landing Weight     | 51709     | Kg | 114000 | Lbs |
| Maximum Zero Fuel Weight   | 47627     | Kg | 105000 | Lbs |
| Basic Empty Weight         | 31103     | Kg | 68572  | Lbs |
| Operating Empty Weight     | 31433     | Kg | 69299  | Lbs |

| <b>FUEL</b>                    |         |
|--------------------------------|---------|
| Fuel Quantity Indication units | KG      |
| Fuel Flow Indication units     | KG      |
| Total Fuel Capacity            | 17102KG |
| Capacity Main Tank 1 or 2      | 4827KG  |
| Capacity Center Tank           | 7448KG  |

| <b>MAINTENANCE</b>                                       |            |        |       |          |
|--|------------|--------|-------|----------|
| A-check performed each 250 FH;                           |            |        |       |          |
| C-check performed each 4000 FH;                          |            |        |       |          |
| Structural checks are performed each 6C-check;           |            |        |       |          |
| Line Maintenance is performed by few airport based MROs; |            |        |       |          |
| A-checks are performed by airport based MRO's            |            |        |       |          |
| C-checks are performed by multiple MROs                  |            |        |       |          |
| Maintenance history                                      | Date       | Cycles | Hours | Location |
| 14C  | 2017/10/3  | 29879  | 46519 |          |
| 15C  | 2019/11/27 | 30450  | 47591 |          |
| 16C  | 2021/10/18 | 31476  | 49632 |          |

| <b>SPECIAL OPERATION</b>                         |                              |     |              |                       |
|--|------------------------------|-----|--------------|-----------------------|
| RNAV-1, RNAV-2, RNAV-5, RVSM, BASIC RNP-1        |                              |     |              |                       |
| <b>INTERIOR CONFIGURATION</b>                    |                              |     |              |                       |
| Cargo Configuration.                             |                              |     |              |                       |
| Double-seat, total 2 seats in the forward cabin. |                              |     |              |                       |
| <b>ADDITIONAL EQUIPMENT</b>                      |                              |     |              |                       |
| ATA  | Description                  | Qty | Manufacturer | Remark                |
| 22   | Flight Control Computer      | 2   | HONEYWELL    | 4051600-914           |
| 22   | Mode Control Panel           | 1   | HONEYWELL    | 4051601-938           |
| 23   | HF Transceiver               | 2   | COLLINS      | 622-5272-001          |
| 23   | VHF Transceiver              | 3   | COLLINS      | 064-50000-0110        |
| 23   | SELCAL Decoder               | 1   | MOTOROLA     | 1200008-000           |
| 23   | ACARS Management Unit        | 1   | HONEYWELL    | 965-0758-001          |
| 31   | Flight Data Recorder         | 1   | HONEYWELL    | 980-4700-042          |
| 31   | Flight Data Acquisition Unit | 1   | HONEYWELL    | 967-0212-002          |
| 31   | EFIS System                  | 2   | COLLINS      | 622-9436-101          |
| 34   | Air Data Computer            | 2   | GE/HONEYWELL | 4061100-901/501FAD1-1 |
| 34   | GPWS Computer                | 1   | HONEYWELL    | 965-0976-060-216      |
| 34   | Inertial Reference Unit      | 2   | HONEYWELL    | HG1050AE09/10         |
| 34   | VHF Navigation               | 2   | HONEYWELL    | 822-0761-001          |
| 34   | DME                          | 2   | COLLINS      | 622-2921-006          |
| 34   | Radio Altimeter              | 2   | COLLINS      | 622-3890-021          |
| 34   | Weather Radar                | 1   | HONEYWELL    | 066-50008-0406        |
| 34   | TCAS Computer                | 1   | HONEYWELL    | 940-0351-001          |
| 34   | ATC Transponder              | 2   | HONEYWELL    | 066-01127-1601        |
| 34   | Marker Beacon Receiver       | 1   | HONEYWELL    | 2087821-2811          |
| 34   | ADF Receiver                 | 2   | COLLINS      | 777-1492-005          |
| 34   | Flight Management Comp       | 1   | GE           | 171497-05-01          |

**Engine LLP Report**

| Part Number           |                      | CFM56-3C-1    |          | Inst. on AC |          |            |      | Position      |                  |       | 1         |             |       | Rem. Date  |      | 2017/5/11 |  |
|-----------------------|----------------------|---------------|----------|-------------|----------|------------|------|---------------|------------------|-------|-----------|-------------|-------|------------|------|-----------|--|
| Serial Number         |                      | 857637        |          | Inst. Date  |          | 2021/10/1  |      | Overhaul Date |                  |       | 2017/10/3 |             |       | As of Date |      | 2022/3/1  |  |
| Current Thrust Rating |                      | 20K           |          | TAI         |          | 50566      |      | TSLSV         |                  |       | 326       |             |       | TSN        |      | 50892     |  |
|                       |                      |               |          | CAI         |          | 32573      |      | CSLSV         |                  |       | 177       |             |       | CSN        |      | 32750     |  |
| No                    | Part Nomenclature    | Part P/N      | Part S/N | Part TSN    | Part CSN | Cycles Run |      |               | Cycles Remaining |       |           | Cycle Limit |       |            | Note |           |  |
|                       |                      |               |          |             |          | A          | B    | C             | A                | B     | C         | A           | B     | C          |      |           |  |
| 211                   | BOOSTER SPOOL        | 335-009-306-0 | DE689483 | 13137       | 7753     | 3621       | 4132 | 0             | 22247            | 22247 | 22247     | 30000       | 30000 | 30000      |      |           |  |
| 213                   | FAN DISK             | 335-014-511-0 | BC769150 | 13137       | 7753     | 3621       | 4132 | 0             | 21400            | 17762 | 14338     | 30000       | 24900 | 20100      |      |           |  |
| 221                   | FAN SHAFT ASSY       | 335-006-414-0 | DE692952 | 13137       | 7753     | 3621       | 4132 | 0             | 22247            | 22247 | 22247     | 30000       | 30000 | 30000      |      |           |  |
| 312                   | HPC SHAFT            | 1275M37P02    | GWNOAE95 | 21815       | 12815    | 5086       | 7729 | 0             | 7185             | 7185  | 7185      | 20000       | 20000 | 20000      |      |           |  |
| 313                   | HPC SPOOL STG 1&2    | 1589M66G02    | GWNOADTA | 21815       | 12815    | 5086       | 7729 | 0             | 7185             | 7185  | 7185      | 20000       | 20000 | 20000      |      |           |  |
| 314                   | HPC DISK STG 3       | 1590M59P01    | XAEG0556 | 21815       | 12815    | 5086       | 7729 | 0             | 7185             | 7185  | 7185      | 20000       | 20000 | 20000      |      |           |  |
| 315                   | HPC SPOOL STG 4-9    | 1588M89G03    | GWNOA9HM | 21815       | 12815    | 5086       | 7729 | 0             | 7185             | 7185  | 5676      | 20000       | 20000 | 15800      |      |           |  |
| 316                   | ROTOR REAR AIR SEAL  | 1319M25P02    | GFF5CM6E | 21815       | 12815    | 5086       | 7729 | 0             | 6326             | 5693  | 4744      | 20000       | 18000 | 15000      |      |           |  |
| 521                   | HPT FRONT SHAFT      | 1385M90P04    | XAE78647 | 18060       | 13424    | 13424      | 0    | 0             | 6576             | 5688  | 5589      | 20000       | 17300 | 17000      |      |           |  |
| 522                   | HPT FRONT AIR SEAL   | 1282M72P05    | XAEJ5507 | 15775.38    | 13103    | 13103      | 0    | 0             | 6897             | 5448  | 5207      | 20000       | 15800 | 15100      |      |           |  |
| 525                   | HPT DISK             | 1475M29P03    | GWNOAA0T | 21815       | 12815    | 5086       | 7729 | 0             | 6558             | 6066  | 5443      | 20000       | 18500 | 16600      |      |           |  |
| 526                   | HPT REAR SHAFT       | 1864M91P02    | TMTTH923 | 21815       | 12815    | 5086       | 7729 | 0             | 7185             | 7185  | 7185      | 20000       | 20000 | 20000      |      |           |  |
| 542                   | LPT DISK STG 1       | 301-331-126-0 | PA141168 | 13137       | 7753     | 3621       | 4132 | 0             | 17247            | 17247 | 17247     | 25000       | 25000 | 25000      |      |           |  |
| 543                   | LPT DISK STG 2       | 301-331-227-0 | PA234799 | 13137       | 7753     | 3621       | 4132 | 0             | 17247            | 17247 | 17247     | 25000       | 25000 | 25000      |      |           |  |
| 544                   | LPT DISK STG 3       | 301-331-322-0 | DE257637 | 13137       | 7753     | 3621       | 4132 | 0             | 17247            | 17247 | 17247     | 25000       | 25000 | 25000      |      |           |  |
| 545                   | LPT DISK STG 4       | 301-331-429-0 | PA205353 | 13137       | 7753     | 3621       | 4132 | 0             | 17247            | 17247 | 17247     | 25000       | 25000 | 25000      |      |           |  |
| 546                   | LPT ROTOR SUPP STG 3 | 305-056-116-0 | DD935613 | 13137       | 7753     | 3621       | 4132 | 0             | 17247            | 17247 | 17247     | 25000       | 25000 | 25000      |      |           |  |
| 551                   | LPT SHAFT            | 301-330-067-0 | PA227417 | 13137       | 7753     | 3621       | 4132 | 0             | 22247            | 22247 | 22247     | 30000       | 30000 | 30000      |      |           |  |
| 552                   | LPT STUB SHAFT       | 301-330-626-0 | DE424866 | 13137       | 7753     | 3621       | 4132 | 0             | 17247            | 17247 | 17247     | 25000       | 25000 | 25000      |      |           |  |

| Part Number           |                      | CFM56-3C-1    |          | Inst. on AC |          |            |      | Position      |                  |       | 2          |             |       | Rem. Date  |       | 2016/3/31 |  |  |
|-----------------------|----------------------|---------------|----------|-------------|----------|------------|------|---------------|------------------|-------|------------|-------------|-------|------------|-------|-----------|--|--|
| Serial Number         |                      | 856671        |          | Inst. Date  |          | 2016/11/11 |      | Overhaul Date |                  |       | 2016/10/31 |             |       | As of Date |       | 2022/3/1  |  |  |
| Current Thrust Rating |                      | 20K           |          | TAI         |          | 53342      |      | TSLSV         |                  |       | 5099       |             |       | TSN        |       | 58441     |  |  |
|                       |                      |               |          | CAI         |          | 33666      |      | CSLSV         |                  |       | 3194       |             |       | CSN        |       | 36860     |  |  |
| No                    | Part Nomenclature    | Part P/N      | Part S/N | Part TSN    | Part CSN | Cycles Run |      |               | Cycles Remaining |       |            | Cycle Limit |       |            | Note  |           |  |  |
|                       |                      |               |          |             |          | A          | B    | C             | 56-2C1           | A     | B          | C           | A     | B          | C     | 56-2C1    |  |  |
| 211                   | BOOSTER SPOOL        | 335-009-306-0 | DE690563 | 16221       | 10269    | 8334       | 1935 | 0             |                  | 19731 | 19731      | 19731       | 30000 | 30000      | 30000 |           |  |  |
| 213                   | FAN DISK             | 335-014-511-0 | DE458208 | 16221       | 10269    | 8334       | 1935 | 0             |                  | 19334 | 16047      | 12954       | 30000 | 24900      | 20100 |           |  |  |
| 221                   | FAN SHAFT ASSY       | 335-006-414-0 | DD936318 | 16221       | 10269    | 8334       | 1935 | 0             |                  | 19731 | 19731      | 19731       | 30000 | 30000      | 30000 |           |  |  |
| 312                   | HPC SHAFT            | 1275M37P02    | GWNO0DP0 | 27085       | 15094    | 15094      | 0    | 0             |                  | 4906  | 4906       | 4906        | 20000 | 20000      | 20000 |           |  |  |
| 313                   | HPC SPOOL STG 1&2    | 1589M66G02    | GWNP918  | 11225       | 7022     | 3194       | 0    | 0             | 3828             | 12978 | 12978      | 20000       | 20000 | 20000      | 20000 |           |  |  |
| 314                   | HPC DISK STG 3       | 1590M59P01    | XAE54233 | 23273       | 15720    | 15720      | 0    | 0             |                  | 4280  | 4280       | 4280        | 20000 | 20000      | 20000 |           |  |  |
| 315                   | HPC SPOOL STG 4-9    | 1588M89G03    | GWNO856P | 22754       | 15545    | 8407       | 7138 | 0             |                  | 4455  | 4455       | 3519        | 20000 | 20000      | 15800 |           |  |  |
| 316                   | ROTOR REAR AIR SEAL  | 1319M25P02    | GFF5DPEJ | 18658       | 11743    | 8452       | 3291 | 0             |                  | 7891  | 7102       | 5918        | 20000 | 18000      | 15000 |           |  |  |
| 521                   | HPT FRONT SHAFT      | 1385M90P04    | XAEJ3461 | 14960       | 10707    | 4629       | 6078 | 0             |                  | 8344  | 7217       | 7092        | 20000 | 17300      | 17000 |           |  |  |
| 522                   | HPT FRONT AIR SEAL   | 1282M72P07    | XAEM5089 | 13136       | 7399     | 7399       | 0    | 0             |                  | 12601 | 9954       | 9513        | 20000 | 15800      | 15100 |           |  |  |
| 525                   | HPT DISK             | 1475M29P03    | GWNOEW17 | 20998       | 10950    | 7874       | 3076 | 0             |                  | 8800  | 8140       | 7304        | 20000 | 18500      | 16600 |           |  |  |
| 526                   | HPT REAR SHAFT       | 1864M91P02    | TMT2B176 | 14632       | 12471    | 3467       | 6782 | 2222          |                  | 7529  | 7529       | 7529        | 20000 | 20000      | 20000 |           |  |  |
| 542                   | LPT DISK STG 1       | 301-331-126-0 | BC627411 | 27258       | 16840    | 8463       | 8377 | 0             |                  | 8160  | 8160       | 8160        | 25000 | 25000      | 25000 |           |  |  |
| 543                   | LPT DISK STG 2       | 301-331-227-0 | BC640965 | 27258       | 16840    | 8463       | 8377 | 0             |                  | 8160  | 8160       | 8160        | 25000 | 25000      | 25000 |           |  |  |
| 544                   | LPT DISK STG 3       | 301-331-322-0 | BC613602 | 27258       | 16840    | 8463       | 8377 | 0             |                  | 8160  | 8160       | 8160        | 25000 | 25000      | 25000 |           |  |  |
| 545                   | LPT DISK STG 4       | 301-331-429-0 | DD086521 | 27258       | 16840    | 8463       | 8377 | 0             |                  | 8160  | 8160       | 8160        | 25000 | 25000      | 25000 |           |  |  |
| 546                   | LPT ROTOR SUPP STG 3 | 305-056-116-0 | DD086955 | 27258       | 16840    | 8463       | 8377 | 0             |                  | 8160  | 8160       | 8160        | 25000 | 25000      | 25000 |           |  |  |
| 551                   | LPT SHAFT            | 301-330-066-0 | DE199248 | 16221       | 10269    | 8334       | 1935 | 0             |                  | 19731 | 19731      | 19731       | 30000 | 30000      | 30000 |           |  |  |
| 552                   | LPT STUB SHAFT       | 301-330-626-0 | DD100114 | 27258       | 16840    | 8463       | 8377 | 0             |                  | 8160  | 8160       | 8160        | 25000 | 25000      | 25000 |           |  |  |

# 1999 Boeing 737-300SF

## OPTION # 2

| <b>AIRFRAME</b>                |            |                                 |          |
|--------------------------------|------------|---------------------------------|----------|
| Aircraft type                  | 737-300SF  | Effective Date                  | 2022-3-1 |
| Serial number                  |            | Registration                    |          |
| Line number                    |            | Variable number                 |          |
| Total airframe hours since new | 50,973     | Total airframe cycles since new | 33,232   |
| Date of manufacture            | 1999-08-12 |                                 |          |

| <b>ENGINES</b>                 | <b>Engine 1</b> | <b>Engine 2</b> | <b>APU</b>  |
|--------------------------------|-----------------|-----------------|-------------|
| Type/ model                    | CFM56-3C-1      | CFM56-3C-1      | GTCP85-129H |
| Delivery S/N                   | 857757          | 857638          | P-100640    |
| Current location (MSN)         |                 |                 |             |
| Current Type/ model            | CFM56-3C-1      | CFM56-3C-1      | GTCP85-129H |
| Current Installed              |                 |                 |             |
| Thrust rating                  | 20K             | 22K             | N/A         |
| Time Since New                 | 53132.16        | 57165.04        | 39595       |
| Cycles Since New               | 32016           | 35597           | N/A         |
| Time Since Last SV             | 6143.01         | 9192.69         | 8180        |
| Cycles Since Last SV           | 3677            | 5261            | N/A         |
| Cycles remaining first limiter | 4038            | 8965            | N/A         |
| First limiter description      | LPT SHAFT       | HPT REAR SHAFT  | N/A         |

| <b>LANDING GEARS</b>    | <b>NLG</b>  | <b>LH MLG</b> | <b>RH MLG</b> |
|-------------------------|-------------|---------------|---------------|
| Part number             | 65-73762-20 | 65-73761-107  | 65-73761-108  |
| Serial number installed | T5827P3116  | MC06229P3115  | MC06232P3116  |
| Total time since new    | 51120.12    | 50644.06      | 50644.06      |
| Total cycles since new  | 32259       | 31771         | 31771         |
| Time since overhaul     | 5909.62     | 5909.62       | 5909.62       |
| Cycles since overhaul   | 3201        | 3201          | 3201          |
| Time between overhaul   | 10Y         | 10Y           | 10Y           |
| Last overhaul date      | 2016/4/30   | 2016/4/30     | 2016/4/30     |

| <b>OPERATIONAL WEIGHTS</b> |          |    |        |     |
|----------------------------|----------|----|--------|-----|
| Date last weighing         | 2021/7/4 |    |        |     |
| Maximum Take-Off Weight    | 61234    | Kg | 135000 | Lbs |
| Maximum Taxi Weight        | 61461    | Kg | 135500 | Lbs |
| Maximum Landing Weight     | 51709    | Kg | 114000 | Lbs |
| Maximum Zero Fuel Weight   | 47627    | Kg | 105000 | Lbs |
| Basic Empty Weight         | 31291    | Kg | 68986  | Lbs |
| Operating Empty Weight     | 31621    | Kg | 69713  | Lbs |

| <b>FUEL</b>                    |         |
|--------------------------------|---------|
| Fuel Quantity Indication units | KG      |
| Fuel Flow Indication units     | KG      |
| Total Fuel Capacity            | 17102KG |
| Capacity Main Tank 1 or 2      | 4827KG  |
| Capacity Center Tank           | 7448KG  |

| <b>MAINTENANCE</b>  |           |       |        |          |
|---|-----------|-------|--------|----------|
| <p>A-check performed each 250 FH;<br/> C-check performed each 4000 FH;<br/> Structural checks are performed each 6C-check;<br/> Line Maintenance is performed by a few airport based MROs;<br/> A-checks are performed by airport MRO's;<br/> C-checks are performed by multiple MROs</p> |           |       |        |          |
| Maintenance history   | Date      | Hours | Cycles | Location |
| 14C   | 2017/7/26 | 46322 | 25,751 |          |
| 15C   | 2019/9/6  | 48477 | 30,698 |          |
| 16C   | 2021/7/14 | 50297 | 31,767 |          |

| <b>SPECIAL OPERATION</b>                         |                              |     |                  |                       |
|--|------------------------------|-----|------------------|-----------------------|
| RNAV-1, RNAV-2, RNAV-5, RVSM, Basic RNP-1        |                              |     |                  |                       |
| <b>INTERIOR CONFIGURATION</b>                    |                              |     |                  |                       |
| Cargo Configuration.                             |                              |     |                  |                       |
| Double-seat, total 2 seats in the forward cabin. |                              |     |                  |                       |
| <b>ADDITIONAL EQUIPMENT</b>                      |                              |     |                  |                       |
| ATA  | Description                  | Qty | Manufacturer     | Remark                |
| 22   | Flight Control Computer      | 2   | HONEYWELL        | 4051600-914           |
| 22   | Mode Control Panel           | 1   | HONEYWELL        | 4051601-938           |
| 23   | HF Transceiver               | 2   | COLLINS          | 622-5272-001          |
| 23   | VHF Transceiver              | 3   | COLLINS          | 064-50000-0110        |
| 23   | SELCAL Decoder               | 1   | MOTOROLA         | 1200008-000           |
| 23   | ACARS Management Unit        | 1   | HONEYWELL        | 965-0758-001          |
| 31   | Flight Data Recorder         | 1   | HONEYWELL        | 980-4700-042          |
| 31   | Flight Data Acquisition Unit | 1   | HONEYWELL        | 967-0212-002          |
| 31   | EFIS System                  | 2   | COLLINS          | 622-9436-101          |
| 34   | Air Data Computer            | 2   | GE/<br>HONEYWELL | 4061100-901/501FAD1-1 |
| 34   | GPWS Computer                | 1   | HONEYWELL        | 965-0976-060-216      |
| 34   | Inertial Reference Unit      | 2   | HONEYWELL        | HG1050AE09/10         |
| 34   | VHF Navigation               | 2   | HONEYWELL        | 822-0761-001          |
| 34   | DME                          | 2   | COLLINS          | 622-2921-006          |
| 34   | Radio Altimeter              | 2   | COLLINS          | 622-3890-021          |
| 34   | Weather Radar                | 1   | HONEYWELL        | 066-50008-0406        |
| 34   | TCAS Computer                | 1   | HONEYWELL        | 940-0351-001          |
| 34   | ATC Transponder              | 2   | HONEYWELL        | 066-01127-1601        |
| 34   | Marker Beacon Receiver       | 1   | HONEYWELL        | 2087821-2811          |
| 34   | ADF Receiver                 | 2   | COLLINS          | 777-1492-005          |
| 34   | Flight Management Comp       | 1   | GE               | 171497-05-01          |



### Engine LLP Report

| Part Number           |                      | CFM56-3C-1    |          | Inst. on AC |          |            |       | Position      |       | 1                |       | Rem. Date  |             | 2015/9/18 |       |       |      |
|-----------------------|----------------------|---------------|----------|-------------|----------|------------|-------|---------------|-------|------------------|-------|------------|-------------|-----------|-------|-------|------|
| Serial Number         |                      | 857757        |          | Inst. Date  |          | 2016/7/5   |       | Overhaul Date |       | 2016/5/3         |       | As of Date |             | 2022/3/1  |       |       |      |
| Current Thrust Rating |                      | 20K           |          | TAI         |          | 46990      |       | TSLSV         |       | 6143             |       | TSN        |             | 53133     |       |       |      |
|                       |                      |               |          | CAI         |          | 28339      |       | CSLSV         |       | 3677             |       | CSN        |             | 32016     |       |       |      |
| No                    | Part Nomenclature    | Part P/N      | Part S/N | Part TSN    | Part CSN | Cycles Run |       |               |       | Cycles Remaining |       |            | Cycle Limit |           |       |       | Note |
|                       |                      |               |          |             |          | A          | B     | C             | 7B    | A                | B     | C          | A           | B         | C     | 7B    |      |
| 211                   | BOOSTER SPOOL        | 335-009-306-0 | DD333766 | 23491       | 16913    | 16913      | 0     | 0             | N/A   | 13087            | 13087 | 13087      | 30000       | 30000     | 30000 | N/A   |      |
| 213                   | FAN DISK             | 335-014-511-0 | DD436508 | 16614       | 10705    | 10705      | 5246  | 1782          | N/A   | 17342            | 14394 | 11619      | 30000       | 24900     | 20100 | N/A   |      |
| 221                   | FAN SHAFT ASSY       | 335-006-414-0 | DB689099 | 34540       | 3677     | 3677       | 0     | 0             | 13899 | 12424            | 12424 | 12424      | 30000       | 30000     | 30000 | 30000 |      |
| 312                   | HPC SHAFT            | 1275M37P02    | GWNOK57R | 16024       | 9839     | 9839       | 6162  | 0             | N/A   | 10161            | 10161 | 10161      | 20000       | 20000     | 20000 | N/A   |      |
| 313                   | HPC SPOOL STG 1&2    | 1589M66G02    | GWNO9MKD | 20091       | 13125    | 13125      | 1266  | 0             | N/A   | 6875             | 6875  | 6875       | 20000       | 20000     | 20000 | N/A   |      |
| 314                   | HPC DISK STG 3       | 1590M59P01    | XAEL8640 | 14313       | 12503    | 12503      | 2742  | 0             | N/A   | 7497             | 7497  | 7497       | 20000       | 20000     | 20000 | N/A   |      |
| 315                   | HPC SPOOL STG 4-9    | 1588M89G03    | GWNO6M0A | 16878       | 12326    | 12326      | 0     | 0             | N/A   | 7674             | 7674  | 6062       | 20000       | 20000     | 15800 | N/A   |      |
| 316                   | ROTOR REAR AIR SEAL  | 1319M25P02    | GFF5EF57 | 17197       | 10400    | 10400      | 0     | 0             | N/A   | 9600             | 8640  | 7200       | 20000       | 18000     | 15000 | N/A   |      |
| 521                   | HPT FRONT SHAFT      | 1385M90P04    | XAEJ3302 | 17197       | 10400    | 10400      | 0     | 0             | N/A   | 9600             | 8304  | 8160       | 20000       | 17300     | 17000 | N/A   |      |
| 522                   | HPT FRONT AIR SEAL   | 1282M72P05    | XAEJ5572 | 14952       | 10472    | 10472      | 6795  | 0             | N/A   | 7721             | 6100  | 5829       | 20000       | 15800     | 15100 | N/A   |      |
| 525                   | HPT DISK             | 1475M29P03    | GWNOJE9G | 16024       | 9839     | 9839       | 6162  | 0             | N/A   | 9661             | 8936  | 8018       | 20000       | 18500     | 16600 | N/A   |      |
| 526                   | HPT REAR SHAFT       | 1864M91P02    | TMT1AK66 | 15132       | 9355     | 9355       | 5678  | 0             | N/A   | 10645            | 10645 | 10645      | 20000       | 20000     | 20000 | N/A   |      |
| 542                   | LPT DISK STG 1       | 301-331-126-0 | BB743123 | 26932       | 18874    | 18874      | 5794  | 0             | N/A   | 6126             | 6126  | 6126       | 25000       | 25000     | 25000 | N/A   |      |
| 543                   | LPT DISK STG 2       | 301-331-227-0 | BC629603 | 25892       | 19209    | 19209      | 15532 | 0             | N/A   | 5791             | 5791  | 5791       | 25000       | 25000     | 25000 | N/A   |      |
| 544                   | LPT DISK STG 3       | 301-331-322-0 | BC551556 | 25892       | 19209    | 19209      | 15532 | 0             | N/A   | 5791             | 5791  | 5791       | 25000       | 25000     | 25000 | N/A   |      |
| 545                   | LPT DISK STG 4       | 301-331-429-0 | DD086810 | 25892       | 19209    | 19209      | 15532 | 0             | N/A   | 5791             | 5791  | 5791       | 25000       | 25000     | 25000 | N/A   |      |
| 546                   | LPT ROTOR SUPP STG 3 | 305-056-116-0 | BC600868 | 25892       | 19209    | 19209      | 15532 | 0             | N/A   | 5791             | 5791  | 5791       | 25000       | 25000     | 25000 | N/A   |      |
| 551                   | LPT SHAFT            | 301-330-067-0 | LA051507 | 45698       | 25962    | 25962      | 15488 | 0             | N/A   | 4038             | 4038  | 4038       | 30000       | 30000     | 30000 | N/A   |      |
| 552                   | LPT STUB SHAFT       | 301-330-626-0 | DC797019 | 28613       | 20804    | 20804      | 0     | 0             | N/A   | 4196             | 4196  | 4196       | 25000       | 25000     | 25000 | N/A   |      |

| Part Number           |                      | CFM56-3C-1    |          | Inst. on AC |          |            |       | Position      |       | 2                |       | Rem. Date  |             | 2012/11/28 |     |  |      |
|-----------------------|----------------------|---------------|----------|-------------|----------|------------|-------|---------------|-------|------------------|-------|------------|-------------|------------|-----|--|------|
| Serial Number         |                      | 857638        |          | Inst. Date  |          | 2014/5/13  |       | Overhaul Date |       | 2013/4/12        |       | As of Date |             | 2022/3/1   |     |  |      |
| Current Thrust Rating |                      | 22K           |          | TAI         |          | 48832      |       | TSLSV         |       | 9193             |       | TSN        |             | 57166      |     |  |      |
|                       |                      |               |          | CAI         |          | 30948      |       | CSLSV         |       | 5261             |       | CSN        |             | 35597      |     |  |      |
| No                    | Part Nomenclature    | Part P/N      | Part S/N | Part TSN    | Part CSN | Cycles Run |       |               |       | Cycles Remaining |       |            | Cycle Limit |            |     |  | Note |
|                       |                      |               |          |             |          | A          | B     | C             | 7B    | A                | B     | C          | A           | B          | C   |  |      |
| 211                   | BOOSTER SPOOL        | 335-009-306-0 | DE457722 | 19117       | 11035    | 909        | 10126 | 0             | 18965 | 18965            | 18965 | 30000      | 30000       | 30000      |     |  |      |
| 213                   | FAN DISK             | 335-014-511-0 | DE689539 | 19117       | 11035    | 909        | 10126 | 0             | 16891 | 14019            | 11316 | 30000      | 24900       | 20100      |     |  |      |
| 221                   | FAN SHAFT ASSY       | 335-006-414-0 | DE611840 | 19117       | 11035    | 909        | 10126 | 0             | 18965 | 18965            | 18965 | 30000      | 30000       | 30000      |     |  |      |
| 312                   | HPC SHAFT            | 1275M37P02    | NCE354KA | 9194        | 5261     | 0          | 5261  | 0             | 14739 | 14739            | 14739 | 20000      | 20000       | 20000      | NEW |  |      |
| 313                   | HPC SPOOL STG 1&2    | 2411M21G01    | GWNO861D | 9194        | 5261     | 0          | 5261  | 0             | 14739 | 14739            | 14739 | 20000      | 20000       | 20000      | NEW |  |      |
| 314                   | HPC DISK STG 3       | 2116M23P01    | XAEY9707 | 9194        | 5261     | 0          | 5261  | 0             | 14739 | 14739            | 14739 | 20000      | 20000       | 20000      | NEW |  |      |
| 315                   | HPC SPOOL STG 4-9    | 1588M89G03    | GWNO85A0 | 9194        | 5261     | 0          | 5261  | 0             | 14739 | 14739            | 11643 | 20000      | 20000       | 15800      | NEW |  |      |
| 316                   | ROTOR REAR AIR SEAL  | 1319M25P02    | GFF5G1AD | 9194        | 5261     | 0          | 5261  | 0             | 14154 | 12739            | 10615 | 20000      | 18000       | 15000      | NEW |  |      |
| 521                   | HPT FRONT SHAFT      | 1385M90P04    | XAEL9411 | 9194        | 5261     | 0          | 5261  | 0             | 13917 | 12039            | 11830 | 20000      | 17300       | 17000      | NEW |  |      |
| 522                   | HPT FRONT AIR SEAL   | 1282M72P07    | XAEM5801 | 9194        | 5261     | 0          | 5261  | 0             | 13340 | 10539            | 10072 | 20000      | 15800       | 15100      | NEW |  |      |
| 525                   | HPT DISK             | 1475M29P02    | XAEL6188 | 9194        | 5261     | 0          | 5261  | 0             | 14312 | 13239            | 11879 | 20000      | 18500       | 16600      | NEW |  |      |
| 526                   | HPT REAR SHAFT       | 1864M91P02    | TMT2B857 | 19117       | 11035    | 909        | 10126 | 0             | 8965  | 8965             | 8965  | 20000      | 20000       | 20000      |     |  |      |
| 542                   | LPT DISK STG 1       | 301-331-126-0 | PA192902 | 19117       | 11035    | 909        | 10126 | 0             | 13965 | 13965            | 13965 | 25000      | 25000       | 25000      |     |  |      |
| 543                   | LPT DISK STG 2       | 301-331-227-0 | PA200759 | 19117       | 11035    | 909        | 10126 | 0             | 13965 | 13965            | 13965 | 25000      | 25000       | 25000      |     |  |      |
| 544                   | LPT DISK STG 3       | 301-331-322-0 | BC424075 | 19117       | 11035    | 909        | 10126 | 0             | 13965 | 13965            | 13965 | 25000      | 25000       | 25000      |     |  |      |
| 545                   | LPT DISK STG 4       | 301-331-429-0 | DD087329 | 19117       | 11035    | 909        | 10126 | 0             | 13965 | 13965            | 13965 | 25000      | 25000       | 25000      |     |  |      |
| 546                   | LPT ROTOR SUPP STG 3 | 305-056-116-0 | DEI72003 | 19117       | 11035    | 909        | 10126 | 0             | 13965 | 13965            | 13965 | 25000      | 25000       | 25000      |     |  |      |
| 551                   | LPT SHAFT            | 301-330-067-0 | PA160512 | 19117       | 11035    | 909        | 10126 | 0             | 18965 | 18965            | 18965 | 30000      | 30000       | 30000      |     |  |      |
| 552                   | LPT STUB SHAFT       | 301-330-626-0 | DE260263 | 19117       | 11035    | 909        | 10126 | 0             | 13965 | 13965            | 13965 | 25000      | 25000       | 25000      |     |  |      |

# 1999 Boeing 737-300SF

## OPTION # 3

| <b>AIRFRAME</b>                |           |                                 |          |
|--------------------------------|-----------|---------------------------------|----------|
| Aircraft type                  | 737-300SF | Effective Date                  | 2022-3-1 |
| Serial number                  |           | Registration                    |          |
| Line number                    |           | Variable number                 |          |
| Total airframe hours since new | 51,408    | Total airframe cycles since new | 32,597   |
| Date of manufacture            |           | 1999-07-12                      |          |

| <b>ENGINES</b>                 | Engine 1   | Engine 2           | APU         |
|--------------------------------|------------|--------------------|-------------|
| Type/ model                    | CFM56-3C-1 | CFM56-3C-1         | GTCP85-129H |
| Delivery S/N                   |            |                    | P-100463    |
| Current location (MSN)         |            |                    |             |
| Current Type/ model            | CFM56-3C-1 | CFM56-3C-1         | GTCP85-129H |
| Current Installed              |            |                    |             |
| Thrust rating                  | 20K        | 22K                | N/A         |
| Time Since New                 | 49564.15   | 47001.48           | 34176.4     |
| Cycles Since New               | 31236      | 29097              | N/A         |
| Time Since Last SV             | 4053.09    | 9881.03            | 9197.4      |
| Cycles Since Last SV           | 2411       | 5417               | N/A         |
| Cycles remaining first limiter | 4914       | 2743               | N/A         |
| First limiter description      | HPC SHAFT  | HPT FRONT AIR SEAL | N/A         |

| <b>LANDING GEARS</b>    | <b>NLG</b>  | <b>LH MLG</b> | <b>RH MLG</b> |
|-------------------------|-------------|---------------|---------------|
| Part number             | 65-73762-20 | 65-73761-107  | 65-73761-108  |
| Serial number installed | T3076P1866  | MC06235P3118  | MC06238P3119  |
| Total time since new    | 74688.32    | 48688.39      | 48688.39      |
| Total cycles since new  | 43062       | 32300         | 32300         |
| Time since overhaul     | 4098.25     | 4278.81       | 4278.81       |
| Cycles since overhaul   | 2717        | 2812          | 2812          |
| Time between overhaul   | 10Y         | 10Y           | 10Y           |
| Last overhaul date      | 2017/8/31   | 2016/8/25     | 2016/8/25     |

| <b>OPERATIONAL WEIGHTS</b> |           |    |        |     |
|----------------------------|-----------|----|--------|-----|
| Date last weighing         | 2021/8/11 |    |        |     |
| Maximum Take-Off Weight    | 61234     | Kg | 135000 | Lbs |
| Maximum Taxi Weight        | 61461     | Kg | 135500 | Lbs |
| Maximum Landing Weight     | 51709     | Kg | 114000 | Lbs |
| Maximum Zero Fuel Weight   | 47627     | Kg | 105000 | Lbs |
| Basic Empty Weight         | 31114     | Kg | 68594  | Lbs |
| Operating Empty Weight     | 31444     | Kg | 69321  | Lbs |

| <b>FUEL</b>                    |         |
|--------------------------------|---------|
| Fuel Quantity Indication units | KG      |
| Fuel Flow Indication units     | KG      |
| Total Fuel Capacity            | 17102KG |
| Capacity Main Tank 1 or 2      | 4827KG  |
| Capacity Center Tank           | 7448KG  |

| <b>MAINTENANCE</b>  |           |        |        |          |
|---|-----------|--------|--------|----------|
| A-check performed each 250 FH;                              |           |        |        |          |
| C-check performed each 4000 FH;                             |           |        |        |          |
| Structural checks are performed each 6C-check;              |           |        |        |          |
| Line Maintenance is performed and a few airport based MROs; |           |        |        |          |
| A-checks are performed by airport based MRO                 |           |        |        |          |
| C-checks are performed by multiple MROs                     |           |        |        |          |
| Maintenance history   | Date      | Hours  | Cycles | Location |
| 14C   | 2017/9/10 | 46,821 | 29,954 |          |
| 15C   | 2020/3/17 | 49,432 | 31,311 |          |
| 16C   | 2021/8/17 | 50,892 | 32,229 |          |

| <b>SPECIAL OPERATION</b>                         |                              |     |                  |                       |
|--|------------------------------|-----|------------------|-----------------------|
| RNAV-1, RNAV-2, RNAV-5, RVSM, Basic RNP-1        |                              |     |                  |                       |
| <b>INTERIOR CONFIGURATION</b>                    |                              |     |                  |                       |
| Cargo Configuration.                             |                              |     |                  |                       |
| Double-seat, total 2 seats in the forward cabin. |                              |     |                  |                       |
| <b>ADDITIONAL EQUIPMENT</b>                      |                              |     |                  |                       |
| ATA  | Description                  | Qty | Manufacturer     | Remark                |
| 22   | Flight Control Computer      | 2   | HONEYWELL        | 4051600-914           |
| 22   | Mode Control Panel           | 1   | HONEYWELL        | 4051601-938           |
| 23   | HF Transceiver               | 2   | COLLINS          | 622-5272-001          |
| 23   | VHF Transceiver              | 3   | COLLINS          | 064-50000-0110        |
| 23   | SELCAL Decoder               | 1   | MOTOROLA         | 1200008-000           |
| 23   | ACARS Management Unit        | 1   | HONEYWELL        | 965-0758-001          |
| 31   | Flight Data Recorder         | 1   | HONEYWELL        | 980-4700-042          |
| 31   | Flight Data Acquisition Unit | 1   | HONEYWELL        | 967-0212-002          |
| 31   | EFIS System                  | 2   | COLLINS          | 622-9436-101          |
| 34   | Air Data Computer            | 2   | GE/<br>HONEYWELL | 4061100-901/501FAD1-1 |
| 34   | GPWS Computer                | 1   | HONEYWELL        | 965-0976-060-216      |
| 34   | Inertial Reference Unit      | 2   | HONEYWELL        | HG1050AE09/10         |
| 34   | VHF Navigation               | 2   | HONEYWELL        | 822-0761-001          |
| 34   | DME                          | 2   | COLLINS          | 622-2921-006          |
| 34   | Radio Altimeter              | 2   | COLLINS          | 622-3890-021          |
| 34   | Weather Radar                | 1   | HONEYWELL        | 066-50008-0406        |
| 34   | TCAS Computer                | 1   | HONEYWELL        | 940-0351-001          |
| 34   | ATC Transponder              | 2   | HONEYWELL        | 066-01127-1601        |
| 34   | Marker Beacon Receiver       | 1   | HONEYWELL        | 2087821-2811          |
| 34   | ADF Receiver                 | 2   | COLLINS          | 777-1492-005          |
| 34   | Flight Management Comp       | 1   | GE               | 171497-05-01          |



# THE ONE

AVIATION SOLUTIONS



## 737 – 300F FOR SALE / LEASE BACK

THE ONE Aviation Solutions proudly offer these 3 737 Freighter for sale or immediately Lease back;

All Aircrafts are in perfect Flight conditions, the current Leasing contract finished, so the Bank lessor are offering this Aircrafts to Operators or Airlines Worldwide.

We're the Bank representative, we will give you the preliminary information and you're ready to purchase we'll introduce you to the Bank Staff, all contracts will be done directly to the Bank .

We have our office in Orlando – Florida and our Staff are available to answer your questions in three languages:

1. English
2. Portuguese
3. Spanish

Feel free to contact us :

+1(407) 639-9842 .....USA

+ 55 (11) 98175-1500....BRA

EMAIL: [napoleao1976@gmail.com](mailto:napoleao1976@gmail.com)

# THE ONE

AVIATION SOLUTIONS



## Boeing 737-300F

### Aircraft Technical Specification



- Delivered Fresh C 4 Check
- Boeing MPD MSG-3 Maintenance Program
- ADS-B installed
- Delivered on Boeing MPD MSG 3
- CFM56-CB2 engines Operating @ B2 Power (22,000lbs)
- Engine Cycles Remain: 3,888 & 3,073
- 9 Pallet cargo conversion STC installed (PEMCO DOOR / Converted in 2015 No AD's against door)
- Estimated delivery time- 15-21 days upon contracts signed & funds received

# THE ONE

## AVIATION SOLUTIONS



|                       |            |
|-----------------------|------------|
| Regulation Compliance | FAA / EASA |
| Operating Limitation  | CAT IIIA   |
| Total FH Since New    | 33,789.28  |
| Total FC Since New    | 32,504     |
| Average FH:FC         | 1.0        |

| Operator History |                              |               |           |               |
|------------------|------------------------------|---------------|-----------|---------------|
| Registration     | Operator                     | Configuration | Delivered | Remarks       |
|                  | Security Pacific Eurofinance |               | May-91    |               |
|                  | L'Aéropostale                |               | Dec-91    |               |
|                  | L'Aéropostale                | Y147/Cargo    | Jul-92    | Re-registered |
|                  | Europe Airpost               | Y147/Cargo    | Mar-01    |               |
|                  | Europe Airpost               | Cargo         | Feb-15    | Converted     |
|                  | ASL Airlines France          | Cargo         | Jun-15    |               |

| Weight Data                |        |
|----------------------------|--------|
| Max. Taxi Weight (kg)      | 63,502 |
| Max. Takeoff Weight (kg)   | 63,000 |
| Max. Landing Weight (kg)   | 52,770 |
| Max. Zero Fuel Weight (kg) | 49,713 |

| Airframe Check Summary |          |                |           |    |             |    |           |
|------------------------|----------|----------------|-----------|----|-------------|----|-----------|
| Check                  | Interval | Last Completed |           |    | Next Due    |    | Remaining |
|                        |          | Date           | FH        | FC | Date        | FH |           |
| C Check                | 2YR      | 14-Feb-19      | 32,437.00 | -  | 6C On-going | -  | - Days    |



# THE ONE

AVIATION SOLUTIONS



| Powerplant Data    |           |           |
|--------------------|-----------|-----------|
|                    | Engine #1 | Engine #2 |
| Manufacturer       | CFM       | CFM       |
| Model              | CFM56-3B1 | CFM56-3B1 |
| Serial Number      |           |           |
| Total FH Since New | 41,580.28 | 39,778.28 |
| Total FC Since New | 33,022    | 33,695    |
| Total FH Since LSV | 5,498.28  | 6,045.28  |
| Total FC Since LSV | 5,052     | 5,398     |

| Engine #1 LLP Data  |               |          |             |        |                 |
|---------------------|---------------|----------|-------------|--------|-----------------|
| Description         | P/N           | S/N      | CAT B Limit | CSN    | CAT B Remaining |
| FAN DISK            | 335-014-511-0 | BB432384 | 24,900      | 16,679 | 9,920           |
| BOOSTER SPOOL       | 335-009-306-0 | R007753  | 30,000      | 23,892 | 6,108           |
| FAN SHAFT           | 335-006-414-0 | J158021  | 30,000      | 24,811 | 5,189           |
| FRONT SHAFT         | 1275M37P02    | GWN04569 | 20,000      | 13,951 | 6,049           |
| SPOOL STG 1-2       | 1589M66G02    | GWN076CL | 20,000      | 13,951 | 6,049           |
| DISK STG 3          | 1590M59P01    | XAE77570 | 20,000      | 13,951 | 6,049           |
| SPOOL STG 4-9       | 1588M89G03    | GWN07HWE | 20,000      | 13,951 | 6,049           |
| REAR AIR SEAL (CDP) | 1319M25P02    | GFF5A924 | 18,000      | 13,951 | 4,631           |
| FRONT SHAFT         | 1385M90P04    | XAE64764 | 17,300      | 13,951 | 4,135           |
| FRONT AIR SEAL      | 1282M72P05    | GWN06WDH | 15,800      | 13,951 | 3,073           |
| DISK                | 1475M29P02    | GWN07DWT | 18,500      | 13,951 | 4,986           |
| REAR SHAFT          | 1864M91P02    | TMTTH140 | 20,000      | 13,951 | 6,049           |
| DISK STG1           | 301-331-126-0 | BB743111 | 25,000      | 13,951 | 11,049          |
| DISK STG2           | 301-331-227-0 | BC103243 | 25,000      | 13,951 | 11,049          |
| DISK STG3           | 301-331-322-0 | BC184094 | 25,000      | 13,951 | 11,049          |
| DISK STG4           | 301-331-429-0 | DC330489 | 25,000      | 13,951 | 11,049          |
| SHAFT               | 301-330-067-0 | LA069055 | 30,000      | 13,951 | 16,049          |
| STUB SHAFT          | 301-330-626-0 | BB942381 | 25,000      | 13,951 | 11,049          |
| CONICAL SUPPORT     | 305-056-116-0 | DC331238 | 25,000      | 13,951 | 11,049          |

# THE ONE

AVIATION SOLUTIONS



| Engine #2 LLP Data  |               |          |             |        |                 |
|---------------------|---------------|----------|-------------|--------|-----------------|
| Description         | P/N           | S/N      | CAT B Limit | CSN    | CAT B Remaining |
| FAN DISK            | 335-014-555-0 | J105251  | 30,000      | 26,112 | 3,888           |
| BOOSTER SPOOL       | 335-009-306-0 | R023396  | 30,000      | 24,952 | 5,048           |
| FAN SHAFT           | 335-006-414-0 | J160128  | 30,000      | 24,952 | 5,048           |
| FRONT SHAFT         | 1275M37P02    | GWN08T38 | 20,000      | 13,849 | 6,151           |
| SPOOL STG 1-2       | 1589M66G02    | GWN0930D | 20,000      | 13,849 | 6,151           |
| DISK STG 3          | 1590M59P01    | XAEF2310 | 20,000      | 13,849 | 6,151           |
| SPOOL STG 4-9       | 1588M89G03    | GWN092HT | 20,000      | 13,849 | 6,151           |
| REAR AIR SEAL (CDP) | 1319M25P02    | GFF5CDE4 | 18,000      | 13,849 | 5,077           |
| FRONT SHAFT         | 1385M90P04    | XAE78192 | 17,300      | 13,849 | 4,702           |
| FRONT AIR SEAL      | 1282M72P05    | GWN095RD | 15,800      | 13,849 | 3,897           |
| DISK                | 1475M29P03    | GWN08W8N | 18,500      | 13,849 | 5,346           |
| REAR SHAFT          | 1864M91P02    | DED83034 | 20,000      | 13,849 | 6,151           |
| DISK STG1           | 301-331-126-0 | BC331078 | 25,000      | 13,849 | 11,151          |
| DISK STG2           | 301-331-227-0 | BC265202 | 25,000      | 13,849 | 11,151          |
| DISK STG3           | 301-331-322-0 | BC305787 | 25,000      | 13,849 | 11,151          |
| DISK STG4           | 301-331-429-0 | BC359367 | 25,000      | 13,849 | 11,151          |
| SHAFT               | 301-330-067-0 | F015966  | 30,000      | 24,952 | 5,048           |
| STUB SHAFT          | 301-330-626-0 | BC188763 | 25,000      | 13,849 | 11,151          |
| CONICAL SUPPORT     | 305-056-116-0 | DC548811 | 25,000      | 13,849 | 11,151          |

| Landing Gear Data |          |          |          |
|-------------------|----------|----------|----------|
|                   | NLG      | LH MLG   | RH MLG   |
| Date Next Due     | 1-Nov-31 | 1-Nov-31 | 1-Nov-31 |



# THE ONE

## AVIATION SOLUTIONS



| Avionics Systems Data   |            |                      |          |
|-------------------------|------------|----------------------|----------|
| Description             | Vendor     | Part No.             | Quantity |
| FCC                     | Honeywell  | 4051600-914          | 2        |
| MCP                     | Honeywell  | 4051601-935          | 1        |
| A/T Computer            | Smiths     | 735SUE10-12          | 1        |
| VHF-COM Xceiver         | Collins    | 822-1044-120         | 2        |
| VHF-COM C/P             | Gables     | G7406-09             | 2        |
| HF C/P                  | Collins    | 522-2457-038         | 1        |
| SSCVR                   | Honeywell  | 980-6022-001         | 1        |
| Tape Reproducer         | Matsushita | RDAX7308-01          | 1        |
| ACP                     | Avtech     | 5145-1-60            | 3        |
| REU                     | Avtech     | 5140-1-1             | 2        |
| PA Amplifier            | Collins    | 622-4096-001         | 1        |
| ELT                     | ELTA       | 9260065              | 1        |
| DFDAU                   | Sagem      | ED44B400             | 1        |
| μQAR                    | L3-Com     | QAR200-03-00         | 1        |
| SSFDR                   | Sagem      | AP41116101           | 1        |
| EIS Primary             | Smiths     | 312EDP2-2            | 1        |
| EIS Secondary           | Smiths     | 211EDP1-2            | 1        |
| TCAS computer           | Collins    | 822-1293-033         | 1        |
| VSI                     | Thales     | 457400RA0712         | 2        |
| Mode-S Transponder      | Collins    | 822-1338-003         | 2        |
| ATC C/P                 | Gables     | G7490-30             | 1        |
| FMC                     | Smiths     | 176200-01-01         | 1        |
| CDU                     | Smiths     | 166891-01-01         | 2        |
| EGPWS                   | Honeywell  | 965-0976-060-218-218 | 1        |
| DME Interrogator        | Collins    | 622-2921-006         | 2        |
| IRS                     | Honeywell  | HG1050AE09           | 2        |
| Radio Altimeter         | Thales     | 9599-607-14931       | 2        |
| Marker Receiver         | Collins    | 522-2996-011         | 1        |
| ADF Receiver            | Collins    | 777-1492-005         | 1        |
| ADF C/P                 | Gables     | G5931                | 2        |
| EHSI                    | Collins    | 622-7999-003         | 2        |
| EADI                    | Collins    | 622-7998-003         | 2        |
| EFIS C/P                | Collins    | 622-8001-001         | 2        |
| SGU                     | Collins    | 622-8000-006         | 2        |
| Wx Radar Xceiver        | Honeywell  | 622-5132-106         | 1        |
| Wx Radar C/P            | Honeywell  | 622-5129-105         | 1        |
| VHF-NAV Receiver        | Collins    | 822-0761-001         | 2        |
| VHF-NAV C/P             | Gables     | G6773-04             | 2        |
| RDDMI                   | Honeywell  | 4034559-901          | 2        |
| DADC                    | Honeywell  | 4061100-901          | 2        |
| DAA                     | Honeywell  | DG1035AB03           | 2        |
| Altimeter               | Smiths     | 2057-01-1            | 2        |
| Airspeed Indicator      | Smiths     | 2083-11-1            | 2        |
| Stby Attitude Indicator | Thales     | H341ANM1             | 1        |